

MONITORING OF ENVIRONMENTAL PLAN FOR JN PORT

ENVIRONMENTAL MONITORING REPORT- APRIL 2021 EXECUTIVE SUMMARY

1.0 Ambient Air Monitoring:

Monthly average values of Air Quality parameters at various stations in JNPT area during April, 2021

Parameters			Industrial (Port Operation) Area						Residential Area	Eco Sensitive area
			IMC	NG	SEZ	APM	BMCT	CB	RC	EC
	Units	NAAQS								
PM ₁₀	µg/m ³	100	176.31	136.62	111.99	120.30	100.51	102.75	81.88	55.22
PM _{2.5}	µg/ m ³	60	65.06	62.87	52.49	42.46	47.67	49.23	46.87	25.22
SO ₂	µg/ m ³	80	17.64	16.88	16.66	16.73	16.69	15.08	11.22	2.86
NO ₂	µg/ m ³	80	18.12	17.35	17.12	20.99	17.15	15.49	11.53	3.84
NH ₃	µg/ m ³	80	29.15	27.90	27.53	27.65	27.58	24.91	18.55	6.22
O ₃	µg/ m ³	100	78.21	74.87	73.86	74.20	74.00	66.85	49.77	12.75
Pb	µg/m ³	0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
As	ng/m ³	6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Ni	ng/m ³	20	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
C ₆ H ₆	µg/ m ³	5	2.57	2.46	2.43	2.44	2.43	2.78	1.82	0.49
B(a)P	ng/ m ³	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CO	mg/m ³	4	1.13	1.09	1.07	1.08	1.07	0.92	0.34	0.17
AQI			150.87	124.41	108.00	113.53	100.34	101.83	81.88	57.00

1.1 Continuous Ambient Air Quality Monitoring:

Monthly average values of Air Quality parameters by Continuous Ambient Air Quality Monitoring Station at Port Operation Center (POC) - JNPT area during April, 2021

Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	NH ₃	O ₃	C ₆ H ₆	CO	C ₇ H ₈	NO	NO _x	AQI
	ug/ m ³	mg/ m ³	mg/ m ³	ug/ m ³	ug/ m ³							
NAAQS	100	60	80	80	400	100	5	2	--	--	--	Remarks: Moderate
Average Apr-21	98.13	40.81	3.54	20.14	13.41	24.36	1.83	0.61	2.27	13.36	38.14	93.18

Conclusion:

- 24-hr average concentration of PM₁₀, PM_{2.5}, SO₂, NO₂, NH₃ other parameters were measured at eight locations viz. POC, IMC, NG, SEZ, APM, BMCT, JNP residential township and EC area using high volume samplers, respirable sampler (APM 460 NL and APM 550 MFC) and gaseous sampler.
- During April, 2021 overall ambient air quality of the JN Port area is within CPCB permissible limits. Except Particulate Matter, to overcome problem, the port is using number of precautionary measures, such as maintained a wide expanse of Green zone, procurement of Electric Cart under green port initiatives, initiated Inter-Terminal Transfer (ITT) of tractor-trailers, switched from diesel to electrically powered e-RTGCs which not just help saving cost but are friendly to environment, installed solar panels on the roof tops of various building in the office premises which cumulatively reduces electricity consumption, the use of LED lights at JNP area helps in lower energy consumption and decreases the carbon foot prints in the environment, time to time cleaning of paved and unpaved roads, use of tarpaulin sheets to cover dumpers at project sites etc.. For cleaner and greener future.
- To minimize the impact of the port's operations on the environment, JNPT has set up comprehensive solid waste management plant at its township with a capacity of 10 metric tons per day solid waste, designed as per SWM Rules 2016 based on BARC technology.
- JN Port received 2981.63 mm rainfall from April 2020 to March 2021, the prominent wind direction (blowing from) was the North West (NW) in the port area. Average values of wind speed, temperature, relative humidity and solar radiation recorded were 1.40m/s, 32.13°C, 73.36% and 128.80 W/m² respectively.

Corrective Action Suggested:

- Display of Environmental Initiative Boards should be increased as like JNPT township, to create awareness towards public.
- Water sprinklers should be used on heavy traffic road to settle the dust particle.
- Avoid excessive idling of automobiles and ships.
- Proper disposal of solid waste in solid waste management plant to maintain clean environment.

- Use of renewable energy like solar energy should be optimal and ensure to work continuously.
- To avoid airborne disease Port workers must maintain a safe distance from anyone who is coughing or sneezing.
- Electric cart, Inter-Terminal Transfer (ITT) are worthy selection to reduce Port operation efficiency and fuel cost.
- Conventional RTGCs should be altered as E-RTGCs counting inside the port completely.
- Stay sanitized of public transport and all basic items at public interaction places as much as possible.
- New scanning technology and new high power Tugs are reducing operation timing and CO₂ Emission are good creativity.
- Initiate Natural Gas (CNG) only as fuel by all buses and trucks.
- Dumper carrying construction material and earth filling material must be covered with tarpaulin sheet to reduce dispersal of dust in the air.
- Implementation of New technology RFID (Radio Frequency Identification) by incorporate PUC certificate status to minimize the vehicle emission are good initiative.

2.0 Marine Water Quality

Observed concentration ranges of Marine Water for various parameters for JNP area during tidal cycle (For April, 2021).

Sr.	Parameter	Observed	Unit	Prescribed Limits
1	Temperature	°C	30.3-32.1	-
2	pH	-	7.64-8.34	6.5 - 9.0
3	Salinity	Ppt	32.5-37.7	-
4	Turbidity	NTU	32.4-64.2	-
5	TDS	mg/L	32956-43095	-
6	TSS	mg/L	230-425	-
7	TS	mg/L	33274-43376	-
8	DO	mg/L	5.01-6.36	3.0 mg/L(min.) or 40%
9	COD	mg/L	58.1-112.2	-
10	BOD	mg/L	0.69-2.85	5 (max.)
11	NH ₃ -N	mg/L	0.0073-0.0039	-
12	Phenol	mg/L	0.00068-0.00143	-
13	Oil & Grease	mg/L	0.204-0.705	10 (max.)
14	Total Plate Count	CFU/ml	77-118	-

15	Fecal Coliforms	MPN/100ml	67-98	500 (max.)
----	-----------------	-----------	-------	------------

Conclusion:

From the above results it can be concluded that, the Port's working does not affect the Quality of the Marine water. The overall Marine Water Quality of the Harbour is in good category.

3.0 Marine Ecology (Flora and Fauna):

Sr. No.	Parameter	Observed Range	Criteria
1	Net Primary Productivity	1.25-8.66 mg C/m ³ /day	<1500 mg C/m ³ /day at surface
2	Chlorophyll a	2.57-3.81 mg/m ³	<4 mg/m ³ (Oligotrophic class), 4-10 mg/m ³ (Mesotrophic class), >10 mg/m ³ (Eutrophic class)
3	Phosphate	35.04-56.41 µg/L	0.1-90 µg/L
4	Nitrate	39.38-254.86 µg/L	1.0-500 µg/L
5	Nitrite	28.36-121.30 µg/L	<125 µg/L
6	Particulate Organic Carbon	7.52-20.18 mg/m ³	10-100 mg/m ³
7	Silicate	42.81-48.67 µg/L	10-5000 µg/L

The results obtained from the study for the month of April, 2021. Phosphate, Nitrates, Nitrite and Silicate are also well within prescribing standards for ecological parameters for Arabian Sea. Net Primary Productivity and Chlorophyll-a were well within prescribe standards for ecological parameters for Arabian Sea. However, considering the activities in JNP Harbour, it is seen that the marine ecosystem is not adversely affected by Port activities.

Corrective Action Suggested:

Proper care should be taken for treatment of sewage and industrial waste before discharging into the open sea by nearby concerned cities, industrial estates and villages etc.

4.0 Drinking Water Quality

The drinking water being supplied to JN Port is safe for drinking purpose. At all drinking water monitoring stations around port area are found to be as per the drinking water specifications given in IS 10500:2012 and also on the basis of analysis parameter.