



जवाहरलाल नेहरु पत्तन प्राधिकरण JAWAHARLAL NEHRU PORT AUTHORITY

ISO 9001 : 2015
ISO 14001 : 2015
ISO 27001 : 2013
ISO 45001 : 2018

पत्तन कार्यालय : प्रशासन भवन, शेवा, नवी मुंबई - 400707. Port Office : Administration Bldg., Sheva, Navi Mumbai - 400 707.
मुख्य सतर्कता अधिकारी Chief Vigilance Officer - (022) 2724 4151 ; मुख्य प्रबंधक (प्रशासन) एवं सचिव Chief Manager (Admn.) & Secy - (022) 2724 4021 ;
मुख्य प्रबंधक (यातायात) Chief Manager (Traffic) - (022) 2724 4191; मुख्य प्रबंधक (यां.एव.वि.अ.) Chief Manager (M&EE) - (022) 2724 4181 ;
मुख्य प्रबंधक (वित्त) Chief Manager (Fin) - (022) 2724 4081; मुख्य प्रबंधक (प.यो.वि.) Chief Manager (PP&D) - (022) 2724 4156
उप-संरक्षक Dy. Conservator (022) 2724 4171; हार्बर मास्टर (022) 2724 4173.
Website : www.jnport.gov.in • E-mail : info@jnport.gov.in

JNP/M&EE/US-SEZ/FAC-CIR/2024/152

25 July 2024

Circular

Sub.: Fuel Adjustment Cost (FAC) to be billed in the month of **July- 2024**

Ref.: Maharashtra Electricity Regulatory Commission (Multi Year Tariff) Regulations, 2019

As per MYT Regulations, 2019 approved by the Hon'ble Commission, Fuel Adjustment Charge (FAC) is applicable every month in electricity bill of the consumer. Accordingly, FAC to be levied to consumer of JNPA in the billing of **July- 2024** is as follows –

Category wise FAC Rates are mentioned as below:

Category	Z _{fac} to be levied in the billing month of July 2024 (in Rs. kVAh)
High Tension - HT	
HT I -Industry	0.53
HT II – Commercial	0.52
Low Tension - LT	
Commercial LT-II (A)	0.56
Commercial LT-II (B)	0.54
Commercial LT-II (C)	0.53
Industrial LT-V (II)	0.53
Public Service LT VII(B)(II)	0.55

For, Jawaharlal Nehru Port Authority

Authorised Signatory JNPA-SEZ